

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	("5877777" or ("6259453" or ("6295464")).PN.	USPAT; USOCR	OR	OFF	2006/01/19 16:15
S2	1603	703/2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:52
S3	975	(703/2).CCLS.	USPAT; USOCR	OR	OFF	2005/10/21 15:52
S4	51	S3 and deform\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:52
S5	55	S3 and deform\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:52
S6	26	S3 and deform\$4 and mesh\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:16
S11	806	model\$3 near2 deform\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:17
S12	143	model\$3 near2 deform\$3 and (real adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:17
S13	83	model\$3 near2 deform\$3 and (real adj time) and mesh\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:18
S14	8	model\$3 near2 deform\$3 and (real adj time) and mesh\$3 and static and dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:18
S15	193	MOP same class same object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 11:24

## EAST Search History

S16	3	pascal adj principle same LE	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 11:00
S17	2	pascal adj principle same deformable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 11:00
S18	2393	long adj element\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 11:01
S19	1	long adj element\$2 same pascal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 11:01
S20	13	long adj element\$2 same deformable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 11:04
S21	204	long same mesh same deformable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 11:04
S22	81	long same mesh same deformable same pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 11:05
S23	4	long same mesh same deformable same pressure same strain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 11:05
S24	115	dynamic\$2 and static\$2 and deformable near3 object\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 11:09
S25	81	dynamic\$2 and static\$2 and deformable near object\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 14:12
S26	1	("6470478").PN.	USPAT; USOCR	OR	OFF	2005/11/04 14:12

## EAST Search History

S27	88	mesh\$3 same cubic same deform\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 08:42
S28	1	simulat\$5 same mesh\$3 same cubic same deform\$4 same tissue\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 08:43
S29	4	simulat\$5 same mesh\$3 same cubic same deform\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 08:43
S30	2	mesh\$3 same cubic same deform\$4 same dynamic\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 09:17
S31	0	long adj element\$2 same deofmrable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 09:17
S32	13	long adj element\$2 same deformable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 09:18
S33	44	simulat\$5 same deformable adj3 object\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 09:19
S34	1	("6259453").PN.	USPAT; USOCR	OR	OFF	2005/11/07 12:52
S35	1	("6470478").PN.	USPAT; USOCR	OR	OFF	2005/11/07 12:52
S36	984	(703/2).CCLS.	USPAT; USOCR	OR	OFF	2005/11/07 16:15
S37	11	S36 and deformable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:15
S38	52	S36 and deform\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:15

## EAST Search History

S39	57	S36 and deform\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:15
S40	0	S36 and deform\$4 and pascal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:15
S41	1	("6259453").PN.	USPAT; USOCR	OR	OFF	2005/11/08 08:51
S42	7542	long near rod\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 16:46
S43	124	long near rod\$2 same deform\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 16:46
S44	0	long near rod\$2 same deform\$4 same pascal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 16:46
S45	0	long near rod\$2 same deform\$4 and pascal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 16:47
S46	14	long near rod\$2 same deform\$4 same area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 16:47
S47	198	mesh same long near rod\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 16:49
S48	8292	long near element\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 16:49
S49	42	long near element\$2 same deformable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 16:51

## EAST Search History

S50	21	long near element\$2 same collision	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 16:53
S51	2425	long adj element\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 16:53
S52	2395	long adj elements	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 16:53
S53	39	long adj elements same deform\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 16:53
S54	1	("5408932").PN.	USPAT; USOCR	OR	OFF	2006/01/19 16:15
S55	2	(("6007319") or ("5266021")).PN.	USPAT; USOCR	OR	OFF	2006/01/20 15:27
S56	1	("6442441").PN.	USPAT; USOCR	OR	OFF	2006/03/07 09:54
S57	499	emulat\$4 same replicat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 09:55
S58	1	emulat\$4 same replicat\$3 same PLC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 09:55
S59	1	emulat\$4 same replicat\$3 near motion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 09:56
S60	1	emulat\$4 same replicat\$3 near motion\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 09:56
S61	9	emulat\$4 and replicat\$3 near motion\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 09:56

## EAST Search History

S62	16	("4928221"   "4998206"   "5249135"   "5377116"   "5377316"   "5388051"   "5402349"   "5574637"   "5644493"   "5796618"   "5963447"   "6167406"   "6223134"   "6263487").PN. OR ("6442441").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/07 12:19
S63	482	"I16" and motion	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/07 12:20
S64	14166	"I1" and motion	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/07 12:20
S65	5	S62 and motion	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/07 12:57
S66	647	emulat\$3 and ((program\$5 adj logic adj control\$3) or PLC)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/07 12:58
S67	20	emulat\$3 and ((program\$5 adj logic adj control\$3) or PLC) and motion near2 model\$2	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/07 13:04
S68	226	emulat\$3 and ((program\$5 adj logic adj control\$3) or PLC) and verif\$7	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/07 13:04
S69	116	emulat\$3 and ((program\$5 adj logic adj control\$3) or PLC) and verif\$7 and motion	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/07 13:04
S70	96	emulat\$3 and ((program\$5 adj logic adj control\$3) or PLC) and verif\$7 and motion and model	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/07 13:05
S71	67	emulat\$3 and ((program\$5 adj logic adj control\$3) or PLC) and verif\$7 and motion and model and mechanical	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/07 13:05
S72	2	emulat\$3 and ((program\$5 adj logic adj control\$3) or PLC) and verif\$7 and motion and model and mechanical and CAD	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/07 13:05
S73	27	emulat\$3 and ((program\$5 adj logic adj control\$3) or PLC) and verif\$7 and motion and model and mechanical and viewer	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/07 13:06
S74	16	("4928221"   "4998206"   "5249135"   "5377116"   "5377316"   "5388051"   "5402349"   "5574637"   "5644493"   "5796618"   "5963447"   "6167406"   "6223134"   "6263487").PN. OR ("6442441").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/07 13:13
S75	16	("4918627"   "4967365"   "4998206"   "5121334"   "5208765"   "5249135"   "5377116").PN. OR ("5796618").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/07 13:40
S76	18	("4928221"   "4931951"   "4998206"   "5050088"   "5249135"   "5377116"   "5377315"   "5388051"   "5402349"   "5574637"   "5644493"   "5796618"   "5963447"   "6167406"   "6185469"   "6223134"   "6263487"   "6292707").PN. OR ("6748283").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/07 13:42

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)mesh and two dimension and deformable filetype   [Advanced Search](#) [Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 83,900 for **mesh and two dimension and deformable filetype:pdf**. (0.56 seconds)**[PDF] Tetrahedral Mesh Generation for Deformable Bodies**File Format: PDF/Adobe Acrobat - [View as HTML](#)removed in **two spatial dimensions**, it is more involved in three spatial **dimensions** ...We outfit our candidate **mesh** with a **deformable** model based on ...graphics.stanford.edu/papers/meshing-sig03/meshing.pdf - [Similar pages](#)**[PDF] Discriminating deformable shape classes**File Format: PDF/Adobe Acrobat - [View as HTML](#)Numeric surface signatures. A spin-image [7] is a **two-dimensional** histogram computed at an oriented point of the surface **mesh** of an object (see Figure 1). ...www.cs.washington.edu/homes/shapiro/NIPS2003.pdf - [Similar pages](#)**[PDF] A METHOD FOR CONSTRUCTING CALCULATION MESHES IN TWO-DIMENSIONAL ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)In the solution of spatial problems of dynamics of **deformable** solids use is made ... As an example, we consider the **mesh** construction in a **two-dimensional** ...gid.cimne.upc.es/2004/papers/p209.pdf - [Similar pages](#)**[PDF] Delineation of Brain Structures from Positron Emission Tomography ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)**dimensional deformable** surface model was developed in our research group [5] ... The DSM algorithm begins with **two** meshes: the outer **mesh** and the inner **mesh** ...www.cs.tut.fi/~jupeto/03miemtr.pdf - [Similar pages](#)**[PDF] Interactive Furniture Design: Using Deformable Models to Create Chairs**File Format: PDF/Adobe Acrobat - [View as HTML](#)These models take the form of **two-dimensional** meshes which operate and ... Each point in the **deformable mesh** is subject to **two** different types of forces, ...agarwala.org/Pages/thesis.pdf - [Similar pages](#)**[PDF] Multirate Simulation for High Fidelity Haptic Interaction with ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)In a VE simulation of interaction with **deformable** ... When the instrument interacts with the **deformable** ... Figure 4: **Two dimensional** lumped element **mesh** ...itsa.ucsf.edu/~frankt/Cavusoglu\_ICRA\_2000.pdf - [Similar pages](#)**[PDF] Evaluation of three-dimensional finite element-based deformable ...**

File Format: PDF/Adobe Acrobat

agreement in any pair of repeated measures using **two** independent **two-dimensional** ...Figure 2: **Three-dimensional** **mesh** representation of finite element model ...spl.harvard.edu:8000/pages/papers/bharatha/med-phys2001.pdf - [Similar pages](#)**[PDF] Image Morphing Using Deformable Surfaces**File Format: PDF/Adobe Acrobat - [View as HTML](#)a nonuniform control **mesh** to specify features and. computed a warp using a **two-dimensional** free form deformation and the Bezier clipping. Feature-based ...www.postech.ac.kr/~leesy/ftp/ca94.pdf - [Similar pages](#)**[PDF] An Analysis of Interactive Deformable Solid Object Modeling**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Abstract— Interactive **deformable** object modeling is im- portant for a number of application areas. ... simple **two dimensional mesh**. The “cube” model is ...  
[www.cs.scranton.edu/~bishop/msv05.pdf](http://www.cs.scranton.edu/~bishop/msv05.pdf) - [Similar pages](#)


[PDF] [Real-time Finite-elements Simulation of General Visco-elastic ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

which not only enables simulation of **deformable** bod- ies with respect to mass, damping, ... a **two layer mesh in two dimensions**. The concept is ...  
[www.cim.mcgill.ca/~haptic/pub/OA-VH-IROS-97.pdf](http://www.cim.mcgill.ca/~haptic/pub/OA-VH-IROS-97.pdf) - [Similar pages](#)

Goooooooooooooogle ►  
Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

See all your photos right in your Sidebar.  
Free! [Download Google Desktop](#).



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google